

1

1x  + 1x 

 → 1x  + 1x  + 2x  NiMH AAA 400mAh rechargeable*

2

 ↔ min. 1 m 

 max. 50 m


↔

 max. 300 m 

3

 → 

 **

 → 

  **

4






 ON / OFF

 3sec



 ON / OFF

 3sec



DECLARATION OF CONFORMITY
 Hereby, Commaxx declares that the radio equipment type Alecto DBX110 is in compliance with directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address: <http://DOC.hesdo.com/DBX110-DOC.pdf>

Use only supplied adapters

Input: 100-240VAC-50/60Hz 150mA
 Output: 6V DC 450mA
 Model: S003ATV0600045

* Use only rechargeable NiMH battery listed below:
 CORUN, Ni-MHAAA400 (Designation No.: Ni-MH AAA 400mAh 1,2V)
 Caution: Risk of explosion if battery is replaced by an incorrect type!
 Dispose of used batteries according to the instructions.

** For pluggable equipment, the socket-outlet shall be installed near the equipment and shall be easily accessible.
 Frequency Range : 1880-1900 Mhz
 Maximum Power : < 24 dBm

For Indoor use only

Information Power Adapter:
 Manufacturers name and address:
 Vtech Telecommunications LTD, 23/F., Tai Ping Industrial Centre, Block 1, 57 Ting Kok Road, Tai Po, Hong Kong.
 Output Power: 2.7 W
 Average active efficiency: 74.9 %
 Efficiency at low 10% load: -
 No load Power consumption: 0.03 W